Islamic University Journal of Applied Sciences (IUJAS)

https://journals.iu.edu.sa/jesc

Volume VIII, Issue II, December 2026, Pages 95-126

Smart Insect-Based Bio-Waste Management for Desert Ecosystems: A Review and Integrated Framework

Norhan Shoghy [1] *, Tamer Ismail [2] and Reda Ibrahim [1]

[1]Economic Entomology Department, Kafrelsheikh University, Kafrelsheikh 33516, Egypt
[2]Pesticide Chemistry and Toxicology Department, Kafrelsheikh University 33516, Egypt.

*Corresponding author: Norhan Shoghy, *Email Address*: Norhan_Shoghy@agr.kfs.edu.eg

Abstract

Desert ecosystems face major bio-waste management challenges due to high temperatures, water scarcity, and limited microbial activity, which reduce the efficiency of conventional treatment methods. In arid regions, bio-waste represents a large proportion of municipal solid waste, while landfilling and composting remain environmentally constrained. Insect-based bioconversion, particularly using *Hermetia illucens* larvae, has emerged as a promising alternative capable of reducing organic waste by 65–80% within 7–14 days while producing protein-rich biomass and nutrient-rich fertilizer. This review summarizes recent advances in insect-mediated bio-waste valorisation and highlights the integration of artificial intelligence (AI), Internet of Things (IoT), and automation for real-time monitoring and process optimization. A conceptual smart bio-waste management framework for arid environments is proposed, emphasizing climate adaptability, resource efficiency, and scalability. The proposed system offers rapid processing, lower greenhouse gas emissions, and minimal water requirements, supporting sustainable waste management in desert ecosystems.

Keywords

Black soldier fly; Insect-based bioconversion; Bio-waste valorisation; Smart waste management; Artificial intelligence; Desert ecosystems.

https://doi.org/10.63070/jesc.2026.036
Received 30 April 2026; Revised 03 June 2026; Accepted 10 June 2026; Available online 15 July 2026.
Published by Islamic University of Madinah on behalf of ***Islamic University Journal of Applied Sciences.***
This is an open access article published under the Creative Commons Attribution 4.0 International license (CC BY 4.0): https://creativecommons.org/licenses/by/4.0/

1. Introduction

Desert ecosystems constitute nearly one-third of the Earth's terrestrial surface and are characterized by extreme conditions, including high temperatures, low precipitation, and limited biological productivity. These constraints significantly slow natural decomposition processes, resulting in inefficient recycling of organic matter and the accumulation of bio-waste. Rapid population growth, urbanization, and agricultural expansion further intensify bio-waste generation in these regions, creating substantial environmental challenges. In parallel, global efforts toward sustainable resource utilization have emphasized the potential of biological systems, particularly insects, as efficient agents for converting bio-waste into valuable products within circular bioeconomy frameworks [1].

Among emerging biological approaches, insect-based bioconversion has gained considerable attention as an effective and environmentally sustainable solution for bio-waste management. This process relies on saprophagous insects to transform organic substrates into high-value outputs, including protein-rich biomass and nutrient-dense fertilizers. In this review, the term 'bio-waste' refers specifically to biodegradable organic materials of biological origin, including food waste, agricultural residues, and animal manure, excluding synthetic organic compounds such as plastics and polymers. The black soldier fly, *Hermetia illucens*, is one of the most widely studied species due to its high waste reduction efficiency, rapid larval development, and adaptability to diverse substrates [2], [3], [5]. Experimental and applied studies have demonstrated that its larvae can reduce bio-waste by approximately 65–80% within a short period, while producing biomass suitable for applications in animal feed and agriculture [3], [12], [22].

Despite these advances, bio-waste management remains a major challenge in dryland regions. Bio-waste constitutes a large proportion of municipal solid waste, often exceeding 44–55% of the total waste stream globally. Conventional approaches, including landfilling and composting, are often inefficient under desert conditions. Landfills promote anaerobic decomposition processes that generate methane and contribute to greenhouse gas emissions, while composting requires controlled moisture and temperature conditions that are difficult to maintain in water-scarce environments. These limitations reduce the effectiveness of traditional waste treatment systems and increase environmental pressure in dryland regions [6], [8].

Recent technological advancements have enhanced the efficiency and scalability of insect-based systems through the integration of smart technologies such as artificial intelligence (AI), Internet of Things (IoT), and automated control systems. These technologies enable real-time monitoring and optimization of critical parameters, including temperature, humidity, substrate conditions, and larval growth dynamics. AI-driven models support predictive decision-making by optimizing feeding strategies, improving system performance, and enabling adaptive responses to environmental variability. The integration of digital technologies in agriculture and waste management has demonstrated strong potential for improving operational efficiency and resource utilization [13]–[16].

The concept of smart insect-based bio-waste management represents an innovative interdisciplinary approach that combines biological processes with advanced digital technologies to achieve efficient and sustainable waste valorisation. This approach aligns with circular bioeconomy principles by transforming organic waste into valuable resources while minimizing environmental impacts and greenhouse gas emissions [17], [18].

However, a comprehensive integration of insect bioconversion with AI-driven smart systems tailored specifically for desert ecosystems remains insufficiently explored in the literature.

This review aims to (i) examine recent advances in insect-based bioconversion technologies, (ii) evaluate the role of artificial intelligence and Internet of Things in optimizing system performance, and (iii) propose an integrated, climate-adaptive framework for implementing smart bio-waste management systems in desert environments. By addressing these aspects, this work contributes to the development of sustainable, resource-efficient, and climate-resilient waste management strategies.

2. Bio-Waste Challenges in Desert Ecosystems

2.1 Environmental Constraints Affecting Waste Decomposition

Arid regions are characterized by extreme climatic conditions that significantly hinder the natural degradation of bio-waste. High temperatures, low humidity, and limited water availability restrict microbial activity, which is essential for conventional biodegradation processes. Microorganisms responsible for organic matter decomposition require adequate moisture and relatively stable conditions; however, these requirements are rarely met in desert environments, resulting in slow and inefficient decomposition rates [6], [8].

In addition, intense solar radiation and large diurnal temperature fluctuations further disrupt biological processes and destabilize decomposition pathways. These harsh conditions reduce the effectiveness of traditional composting systems and often lead to incomplete degradation of bio-waste. As a consequence, partially decomposed materials may generate unpleasant odours and attract pests, while nutrient recycling is significantly constrained, negatively affecting soil fertility and ecosystem productivity [6]. The combined impact of these factors creates substantial operational challenges for bio-waste management systems, as summarized in Table 1.

Table 1. Key Challenges of Bio-Waste Management in Desert Ecosystems

Challenge	Description	Environmental impact
Water scarcity	Limited moisture availability for microbial activity	Slow decomposition rates
High temperature	Extreme heat and large diurnal fluctuations	Process instability
Low microbial diversity	Reduced biological degradation capacity	Waste accumulation
Poor infrastructure	Inadequate waste collection and treatment systems	Environmental pollution
High organic fraction	Large proportion of biodegradable waste	Increased management burden

Synthesized from [6], [8].

2.2 Composition and Characteristics of Bio-Waste in Arid Regions

Bio-waste in dryland environments primarily consists of organic materials, including food waste, agricultural residues, and animal manure. Studies indicate that the organic fraction of municipal solid waste in many developing and arid regions can exceed 50–60% of the total waste stream [6], [18]. Despite this high organic content, limited moisture availability and reduced microbial diversity restrict effective decomposition, resulting in prolonged accumulation of waste materials.

Agricultural activities in desert regions also generate significant quantities of lignocellulosic residues, which are resistant to degradation due to their complex structural composition. Without appropriate treatment technologies, these residues contribute to environmental pollution and inefficient resource utilization. Furthermore, improper handling of bio-waste increases the risk of pathogen proliferation and pest infestations, posing additional challenges to waste management and public health [8].

2.3 Limitations of Conventional Waste Management Approaches

Traditional waste management methods are generally ineffective in dryland environments due to environmental and operational constraints. Landfilling, one of the most widely used approaches, presents several environmental risks, including methane emissions, soil contamination, and inefficient land use. In arid climates, reduced moisture availability limits microbial activity within landfills, leading to prolonged waste persistence and increased environmental burden [6].

Composting, although environmentally preferable in many contexts, faces significant limitations in desert regions. The process requires adequate moisture and controlled conditions, both of which are difficult to maintain in water-scarce environments. As a result, composting systems may suffer from incomplete degradation and reduced product quality. Additionally, maintaining optimal temperature and aeration can be technically challenging and economically costly [6], [8]. Incineration represents another alternative; however, it is energy-intensive and often not economically feasible in many developing desert regions. Moreover, it raises concerns regarding air pollution and greenhouse gas emissions, particularly when waste segregation is inadequate. These limitations highlight the need for alternative approaches better suited to arid conditions [6].

2.4 Environmental and Ecological Impacts

The accumulation of untreated bio-waste in arid regions has significant environmental and ecological consequences. One of the most critical impacts is the emission of greenhouse gases, particularly methane, from anaerobic decomposition processes occurring in poorly managed waste systems. Methane has a substantially higher global warming potential than carbon dioxide, contributing significantly to climate change [10]. The progression from improper waste collection to long-term ecological degradation is visually represented in the bio-waste flow diagram in Figure 1.




Figure 1. Bio-waste flow and associated environmental impacts in desert ecosystems. The diagram illustrates the progression from waste generation to environmental consequences under inefficient management conditions.

In addition, the lack of efficient organic matter recycling leads to soil degradation and declining fertility. Desert soils are typically low in organic carbon, and the failure to reintegrate organic waste into the soil exacerbates this limitation, reducing agricultural productivity and ecosystem resilience [6]. Improper waste management also affects biodiversity by altering habitats and promoting the proliferation of opportunistic pest species. Furthermore, leachates from waste accumulation sites can contaminate scarce groundwater resources, posing risks to environmental sustainability and human health [6].

2.5 Need for Innovative and Adaptive Solutions

Given the limitations of conventional waste management methods, there is a pressing need for innovative and adaptive solutions specifically designed for desert environments. Effective systems should minimize water consumption, tolerate high temperatures, enable rapid waste processing, and ensure environmental sustainability. In this context, insect-based bioconversion systems offer a promising alternative, as they rely on biological agents capable of adapting to harsh conditions while efficiently converting bio-waste into valuable products.

The integration of such systems with smart technologies, including artificial intelligence and IoT-based monitoring, further enhances their potential to address the complex challenges associated with bio-waste management in dryland environments [3], [13].

3. Insect-Based Bioconversion Technologies

3.1 Concept and Biological Basis of Insect Bioconversion

Insect-based bioconversion is a biological process in which saprophagous insects transform organic waste into valuable biomass and nutrient-rich residues through feeding, digestion, and assimilation. This process relies on the synergistic interaction between insect digestive enzymes and associated gut microbiota, enabling the efficient breakdown of complex organic substrates such as proteins, lipids, and carbohydrates [3], [7].

Unlike conventional microbial composting, insect-mediated decomposition is generally faster and less dependent on strictly controlled environmental conditions. Larvae actively consume and fragment bio-waste, increasing its surface area and enhancing microbial accessibility. This combined mechanical and biochemical action accelerates waste degradation while reducing greenhouse gas emissions compared to traditional waste treatment methods [3], [9].

3.2 Key Insect Species for Bioconversion

Several insect species have been investigated for their potential in organic waste bioconversion. However, their efficiency varies depending on environmental adaptability, substrate compatibility, growth rate, and biomass yield.

3.2.1 Black Soldier Fly, *Hermetia illucens*

The black soldier fly (BSF) is the most widely studied and commercially utilized insect species for bio-waste conversion (figure 2). Its larvae exhibit high feed conversion efficiency and rapid growth, typically completing the larval stage within 7–14 days. They are capable of reducing organic waste by approximately 65–80%, while producing protein-rich biomass containing about 40–45% protein and 30–35% lipids. In addition, BSF larvae can process a wide range of substrates, including food waste, animal manure, and agricultural residues, making them highly suitable for applications in desert environments [2], [3], [4], [12].




Figure 2. Life cycle of the black soldier fly *H. illucens* used in bio-waste bioconversion

3.2.2 Mealworms, *Tenebrio molitor*

Mealworms are effective in degrading dry organic materials, particularly lignocellulosic residues (figure 3). They are well adapted to low-moisture substrates and contribute to the breakdown of otherwise recalcitrant organic matter. However, their relatively slower growth rate and moderate waste reduction efficiency limit their suitability for large-scale applications compared to black soldier fly larvae [3].




Figure 3. Developmental stages of mealworms *T. molitor* used in insect-based waste conversion systems.

3.2.3 Housefly Larvae, *Musca domestica*

Housefly larvae are characterized by rapid waste consumption and fast development. However, their application in bio-waste management systems is limited due to several drawbacks, including a higher risk of pathogen transmission, lower tolerance to environmental variability, and regulatory concerns. Despite high consumption rates, their suitability is limited due to hygiene and regulatory concerns. Consequently, their use is generally restricted to controlled and well-managed environments [8].

3.3 Bioconversion Efficiency and Performance Metrics

The performance of insect-based bio-waste management systems is evaluated using key indicators such as waste reduction rate, feed conversion ratio, biomass yield, and nutrient recovery efficiency (Table 2). These metrics provide a comprehensive assessment of system effectiveness and sustainability. Among the studied species, black soldier fly larvae consistently demonstrate superior performance across these indicators, particularly under variable environmental conditions, highlighting their suitability for large-scale applications in challenging environments such as desert ecosystems [10], [11], [12].

Table 2. Comparative Performance of Insect Species in Bio-Waste Conversion

Species	Waste reduction (%)	Protein content (%)	Processing time	Suitability for desert conditions
Black soldier fly	65–80	40–45	7–14 days	High
Mealworms	50–60	30–40	20–30 days	Moderate
Housefly larvae	60–70	35–45	5–10 days	Low

3.4 Mechanism of Insect-Based Waste Conversion

The insect-based bioconversion process is a multi-stage system in which bio-waste is efficiently transformed into valuable products through coordinated biological processes. The process begins with ingestion, during which larvae consume organic waste materials. This is followed by mechanical breakdown, where the physical fragmentation of substrates increases surface area and facilitates further degradation.

Enzymatic digestion then plays a central role, as enzymes such as proteases, lipases, and cellulases break down complex organic compounds into simpler molecules. This process is further enhanced by microbial interactions within the larval gut, where symbiotic microorganisms contribute to nutrient breakdown and assimilation. During the assimilation stage, digested nutrients are converted into larval biomass, resulting in the accumulation of protein and lipid reserves. The remaining undigested material is excreted as frass, a nutrient-rich residue that can be used as an organic fertilizer. This integrated mechanism ensures efficient nutrient recycling, substantial waste reduction, and minimal residual output, making it a highly effective strategy for sustainable bio-waste management [3], [7].

3.5 Environmental Adaptability to Desert Conditions

One of the major advantages of the proposed systems, particularly those utilizing black soldier fly larvae, is their adaptability to harsh environmental conditions. Studies have shown that BSF larvae can tolerate a wide range of temperatures, typically between 20°C and 40°C, as well as variable moisture conditions and fluctuating organic load levels. This resilience makes them highly suitable for deployment in arid regions, where conventional biological treatment systems often fail due to environmental stress [7], [10].

3.6 Advantages Over Conventional Systems

Compared to traditional waste treatment methods, insect-based bioconversion offers several important advantages that enhance its suitability for sustainable waste management. One of the most significant benefits is the rapid processing time, as organic waste can be converted within days rather than weeks or months required by composting or landfilling. In addition, these systems require relatively low amounts of water, making them particularly suitable for arid and water-scarce environments.

Another key advantage is the reduction of greenhouse gas emissions, as insect-based processes typically operate under aerobic conditions and generate fewer emissions compared to landfill systems. Furthermore, the process produces valuable by-products, including protein-rich insect biomass and nutrient-dense frass that can be used as organic fertilizers. The scalability and modularity of this integrated framework allow for flexible deployment across different operational scales, from small decentralized units to large industrial facilities. These advantages collectively position insect bioconversion as a key component of sustainable and climate-resilient waste management strategies [3], [9], [12].

3.7 Integration Potential with Smart Systems

Insect-based bioconversion systems are highly compatible with modern digital technologies. Their biological processes can be effectively monitored and optimized using artificial intelligence-based predictive models, IoT-enabled environmental sensors, and automated feeding and harvesting systems. The integration of these technologies enables real-time monitoring, improved process control, and enhanced operational efficiency. Moreover, smart system integration reduces labour requirements and facilitates large-scale deployment within advanced waste management infrastructures, contributing to the development of intelligent and adaptive bio-waste management systems [13]–[16].

4. Smart Systems Integration (AI, IoT, and Automation)

4.1 Overview of Smart Bio-Waste Management Systems

The integration of smart technologies into bio-waste management has transformed conventional treatment approaches into intelligent, adaptive, and data-driven systems. In the context of insect-based bioconversion, the incorporation of artificial intelligence (AI), Internet of Things (IoT), and automation technologies enables real-time monitoring, process optimization, and data-driven decision-making under dynamic environmental conditions. These advancements are particularly important in dryland environments, where environmental

variability and resource constraints require precise and efficient system control [13]–[16]. The proposed system relies on continuous data acquisition, predictive analytics, and automated responses to maintain optimal conditions for larval growth and waste conversion. By leveraging these technologies, system efficiency can be enhanced, operational costs reduced, and scalability improved for large-scale applications.

4.2 Internet of Things (IoT) for Real-Time Monitoring

The Internet of Things (IoT) plays a fundamental role in enabling real-time monitoring of environmental and operational parameters within insect bioconversion systems. Sensor networks are deployed to continuously collect data on temperature, relative humidity, substrate moisture content, gas emissions such as carbon dioxide and ammonia, and larval density and activity. These sensors transmit data to centralized platforms for analysis and control, allowing for precise management of system conditions. Maintaining optimal environmental conditions is essential for maximizing larval efficiency and preventing system failure. For instance, deviations in temperature beyond optimal thresholds can significantly reduce larval metabolism and waste conversion rates. IoT-based systems also support remote monitoring, enabling operators to manage facilities across geographically dispersed desert regions with minimal human intervention [13], [16].

4.3 Artificial Intelligence for Process Optimization

Artificial intelligence plays a pivotal role in enhancing the performance and efficiency of insect-based bio-waste management systems by enabling predictive modelling, pattern recognition, and automated decision-making. By processing large volumes of data generated from IoT-based sensor networks, AI algorithms—including advanced machine learning models such as CNNs (image analysis) and LSTM (time-series prediction)—can identify operational patterns and optimize key parameters in real time. Advanced applications such as computer vision, utilizing Convolutional Neural Networks (CNNs), allow for the continuous monitoring of larval density, size distribution, and health status through high-resolution image analysis [14].

Furthermore, predictive analytics driven by Recurrent Neural Networks (RNNs) or Long Short-Term Memory (LSTM) models facilitate accurate forecasting of feeding regimes and growth cycles by accounting for temporal data dependencies. In addition, anomaly detection models, such as Isolation Forests or Autoencoders, can identify system irregularities—including

temperature fluctuations, contamination risks, or process inefficiencies—enabling timely corrective actions.

Reinforcement Learning (RL) and genetic optimization algorithms further contribute by dynamically adjusting environmental conditions such as temperature, humidity, and substrate composition to maximize bioconversion efficiency. The integration of these specific AI architectures into agricultural and waste management systems has been shown to significantly improve operational efficiency and resource utilization, highlighting their potential in enhancing insect-based bioconversion processes [13]–[15]. However, the practical implementation of these advanced models depends on data availability, computational resources, and system scale.

4.4 Automation and Control Systems

Automation is essential for scaling insect-based bioconversion systems and reducing labour dependency. Automated systems can regulate key operational parameters, including feeding schedules, moisture levels, temperature control, and larval harvesting. Programmable Logic Controllers (PLCs) and embedded systems are commonly used to execute automated operations based on sensor inputs and AI-driven recommendations. These systems ensure consistent performance, minimize human error, and improve overall process reliability. In desert environments, automation is particularly advantageous due to limited labour availability and harsh working conditions. Autonomous systems can operate continuously with minimal supervision, thereby enhancing system efficiency and long-term sustainability.

4.5 Integrated Smart System Architecture

A fully integrated framework consists of multiple interconnected layers that enable efficient monitoring, data processing, and automated control (figure 4). At the foundation, the data acquisition layer employs IoT-based sensors to collect environmental and biological data, including temperature, humidity, gas emissions, and larval activity. This information is transmitted through the communication layer using wireless technologies such as LoRa or Wi-Fi, ensuring reliable data transfer even in remote desert locations. The processing layer, supported by artificial intelligence and cloud computing, analyses incoming data to generate predictive models and optimize operational parameters in real time. Based on these insights, the control layer activates automated systems and actuators to regulate feeding, environmental conditions, and harvesting processes. Finally, the user interface layer provides an interactive

dashboard that enables operators to monitor system performance, visualize data, and make informed decisions. This multi-layered architecture ensures a responsive, scalable, and intelligent system capable of operating efficiently under challenging environmental conditions [13]–[16].




Figure 4. Integrated smart system architecture for insect-based bio-waste management in desert ecosystems.

4.6 Advantages of Smart Integration

The integration of artificial intelligence, Internet of Things, and automation technologies into insect-based bio-waste management systems provides several advantages that significantly enhance system performance and sustainability. These technologies enable optimized waste conversion and biomass production through precise monitoring and dynamic control of environmental conditions. Resource efficiency is improved through reduced water and energy consumption compared to conventional systems. Furthermore, the modular design of smart systems supports scalability, allowing flexible expansion according to operational requirements. Real-time data acquisition and analysis facilitate rapid decision-making, enabling immediate responses to environmental fluctuations and operational disturbances.

Automation also reduces labour requirements, improves consistency, and enhances overall system reliability, making these systems highly suitable for large-scale deployment [13], [16].

4.7 Challenges and Limitations

Despite their advantages, this integrated framework faces several challenges. High initial investment costs can limit adoption, particularly in developing and resource-constrained regions. The technical complexity associated with integrating AI, IoT, and automated control systems requires specialized expertise for operation and maintenance. In addition, issues related to data management, including storage, processing, and cybersecurity, present potential risks that must be carefully addressed. Limited infrastructure in remote desert areas, such as unreliable connectivity and energy supply, further complicates deployment and scalability. Addressing these challenges requires interdisciplinary collaboration, technological innovation, and targeted investments in infrastructure development [13]–[16].

4.8 Role in Desert Ecosystems

The proposed system is particularly well suited for dryland environments due to their ability to operate under resource constraints and environmental variability. By enabling precise control over bioconversion processes, these systems maintain optimal performance even under extreme conditions. Moreover, the integration of renewable energy sources, particularly solar power, can enhance system sustainability and reduce dependence on external energy inputs. This makes the proposed system highly suitable for off-grid applications in desert regions, contributing to sustainable waste management and resource recovery in challenging environments [16], [18].

5. Proposed Smart Insect-Based Bio-Waste Management System Framework

5.1 Conceptual Overview

This section presents a novel and integrated framework for a smart insect-based bio-waste management system specifically designed for arid regions. The proposed system combines insect bioconversion, artificial intelligence, Internet of Things technologies, and adaptive engineering design to address environmental constraints and improve waste processing efficiency. Unlike conventional systems, this framework emphasizes climate adaptability, modularity, and real-time optimization, making it suitable for arid and resource-limited environments. The system operates within a closed-loop circular bioeconomy model in which

organic waste is transformed into valuable outputs such as insect biomass and organic fertilizers while minimizing environmental impacts [17], [18]. This framework is conceptual and intended as a design model to guide future experimental and industrial implementation. The overall architecture of the proposed smart insect-based bio-waste management system is illustrated in Figure 5.




Figure 2. System Architecture of the Smart Insect-Based Bio-Waste Management Framework for Desert Ecosystems.

Figure 5. System architecture of the smart insect-based bio-waste management framework for desert ecosystems, illustrating the integration of insect bioconversion processes with IoT-based monitoring, AI-driven optimization, and automated control systems.

5.2 System Architecture and Functional Modules

The proposed framework consists of five interconnected functional modules designed to ensure efficient and adaptive system performance. These modules include waste pre-processing, insect bioconversion, smart monitoring, artificial intelligence-based optimization, and output recovery. Together, they enable continuous and efficient bio-waste conversion through an integrated smart management approach [13]–[16]. The operational workflow of the proposed system is illustrated in Figure 6, where organic waste is progressively transformed into valuable products through a controlled insect-based bioconversion process.




Figure 6. Workflow of the smart insect-based bio-waste management system, illustrating the transformation of organic waste into valuable outputs through insect bioconversion integrated with monitoring and optimization processes.

5.2.1 Waste Pre-processing Unit

The waste pre-processing unit is responsible for preparing incoming bio-waste for efficient bioconversion. This includes sorting to remove non-organic materials, reducing particle size through shredding, and adjusting moisture content to optimal levels for larval feeding. Proper pre-processing enhances substrate uniformity, improves feeding efficiency, and supports consistent system performance, as demonstrated in studies on insect-based waste treatment systems [3], [7].

5.2.2 Adaptive Insect Bioconversion Unit

The insect bioconversion unit represents the core of the system, where larvae, primarily of *H. illucens*, convert organic waste into biomass. This unit is designed with climate-controlled chambers and insulated modular structures to withstand extreme desert temperatures. The use of optimized feeding trays ensures maximum exposure of waste material to larvae, thereby enhancing conversion efficiency. Maintaining appropriate environmental conditions within this unit is essential for achieving high productivity and stable system operation [2], [12].

5.2.3 Smart Monitoring and Sensing Unit

The monitoring unit consists of a network of IoT-based sensors that continuously track environmental and biological parameters, including temperature, humidity, substrate moisture,

gas emissions, and larval activity. The collected data are transmitted in real time to a centralized system for analysis, enabling continuous monitoring of system performance and early detection of potential issues. Such sensor-based monitoring approaches are widely applied in smart agriculture and environmental management systems [13], [16].

5.2.4 Artificial Intelligence-Based Decision and Optimization Unit

This unit serves as the central processing component of the system, where collected data are analysed using machine learning algorithms. The system predicts optimal feeding schedules, detects anomalies such as overheating or contamination, and dynamically adjusts environmental conditions to maintain optimal performance. Through continuous learning and adaptation, the artificial intelligence component enhances system efficiency and reliability. Similar AI-driven optimization approaches have been successfully implemented in smart agricultural and bioresource management systems [13]–[15].

5.2.5 Output Processing and Resource Recovery Unit

The output processing unit manages the separation and utilization of system outputs. This includes harvesting larval biomass, which can be used as a sustainable protein source, and collecting frass, which serves as an organic fertilizer. In addition, this unit compiles operational data for performance evaluation and reporting, supporting system optimization and integration with downstream applications. The valorisation of insect-derived products has been extensively documented in recent literature [3], [12].

5.3 System Workflow and Operational Cycle

The system operates through a continuous and automated workflow that begins with bio-waste input and pre-processing, followed by feeding into the insect bioreactor. Real-time monitoring through sensor networks provides continuous data, which are analysed by the artificial intelligence system to optimize operational parameters. Automated control systems then regulate feeding, environmental conditions, and harvesting processes. This closed-loop cycle ensures efficient waste conversion, minimal resource loss, and continuous system improvement, consistent with modern smart bio-waste management systems [13]–[16].

5.4 Key Innovations of the Proposed Framework

The proposed framework introduces several innovative features that distinguish it from conventional waste management systems. These include a climate-adaptive design capable of operating under extreme environmental conditions, real-time optimization through artificial intelligence, and a modular structure that supports decentralized deployment. The system also promotes circular bioeconomy principles by converting waste into valuable resources and can be integrated with renewable energy sources to enhance sustainability [17], [18].

5.5 Scalability and Deployment Strategy

The system is designed to be scalable through modular bioreactor units that can be expanded according to operational requirements. It supports flexible deployment strategies ranging from small-scale rural applications to medium-scale municipal systems and large-scale industrial facilities. The decentralized nature of the system reduces the need for long-distance waste transportation and enables localized waste processing, aligning with sustainable waste management practices [13], [16].

5.6 Suitability for Desert Ecosystems

The proposed system is specifically adapted to address the challenges of desert environments. It minimizes water usage, operates efficiently under high temperatures, and can be integrated with renewable energy sources such as solar power. The system also supports localized waste processing, reducing logistical constraints and enhancing sustainability in remote areas. These characteristics are consistent with recent efforts to develop climate-resilient waste management solutions for arid regions [6], [18].

5.7 Expected Environmental and Economic Outcomes

The implementation of the proposed framework is expected to generate significant environmental and economic benefits. These include substantial reduction in organic waste volume, decreased greenhouse gas emissions, and improved soil fertility through the application of organic fertilizers. Additionally, the production of insect biomass creates economic opportunities and supports value-added supply chains. Overall, the system contributes to sustainable development, resource recovery, and job creation in desert regions, consistent with findings from studies on insect-based circular bioeconomy systems [3], [17].

6. Environmental and Economic Impact Assessment

6.1 Environmental Impact Assessment

The implementation of this integrated framework offers substantial environmental benefits, particularly in desert ecosystems where conventional waste treatment methods are often inefficient. One of the most significant advantages is the reduction of greenhouse gas emissions. Unlike landfilling, which promotes anaerobic decomposition and methane generation, insect-based bioconversion operates primarily under aerobic conditions, resulting in significantly lower emissions of methane and nitrous oxide [3], [10]. Studies have shown that black soldier fly-based systems can achieve considerable reductions in greenhouse gas emissions compared to traditional waste disposal methods [3].

In addition, these systems improve waste management efficiency by reducing organic waste volume by approximately 65–80% within a short processing period. This rapid reduction minimizes the need for landfill space and reduces environmental pollution. The process also produces frass, a nutrient-rich organic residue that enhances soil fertility by increasing essential nutrients such as nitrogen, phosphorus, and potassium. This is particularly beneficial in desert soils, which are typically low in organic matter and nutrients [12]. Water conservation represents another key environmental advantage. Insect-based systems require significantly less water than conventional composting processes, making them highly suitable for arid regions facing severe water scarcity. Furthermore, the controlled processing environment minimizes the risk of leachate formation and groundwater contamination, thereby protecting fragile dryland environments [6].

6.2 Economic Impact and Quantitative Comparison

From an economic perspective, the proposed system provides multiple benefits through cost reduction and resource valorisation. A primary advantage lies in the production of high-value outputs, particularly insect biomass rich in protein and lipids, which can be utilized in animal feed, aquaculture, and other industrial sectors. Additionally, the by-product frass serves as an effective organic fertilizer, contributing to soil improvement and reducing dependence on chemical inputs. These outputs create diversified revenue streams that enhance the overall economic viability of the system [3], [12].

Operational costs are generally lower than those associated with conventional waste management approaches due to reduced energy consumption, minimal water requirements, and

decreased labour dependency resulting from automation and smart system integration. Although the initial capital investment for infrastructure and digital technologies may be relatively high, previous studies indicate that the return on investment can be achieved within a reasonable timeframe depending on system scale and market conditions [19]. To further evaluate system performance, a comparative analysis with conventional waste management methods is presented in Table 3, highlighting key differences in efficiency, environmental impact, and economic value.

Table 3. Environmental and Economic Comparison of Waste Management Systems. Values are synthesized from multiple literature sources [3], [12], [19].

Parameter	Landfilling	Composting	Insect-Based System
Waste reduction (%)	20–30	40–60	65–80
Processing time	Months–years	Weeks–months	Days (7–14)
Greenhouse gas emissions	High	Moderate	Low
Water requirement	Low	High	Very low
Energy consumption	Moderate	Moderate	Low
Value-added products	None	Compost	Protein + Fertilizer
Operational cost	High (long-term)	Moderate	Moderate–Low
Environmental impact	High	Moderate	Low

The comparative analysis demonstrates the superior performance of insect-based bioconversion systems relative to traditional waste management approaches. In particular, the significantly higher waste reduction rates and shorter processing times highlight their efficiency in handling organic waste streams. Moreover, the lower greenhouse gas emissions and minimal water requirements make these systems especially suitable for arid and resource-constrained environments. Unlike landfilling, which does not generate value-added products, insect-based systems produce both protein-rich biomass and organic fertilizers, thereby supporting circular economy principles and improving overall sustainability [3], [17].

6.3 Policy and Sustainability Implications

The adoption of this integrated framework aligns strongly with global sustainability goals and environmental policies. These systems support circular bioeconomy principles by converting organic waste into valuable resources, reducing environmental burdens, and enhancing resource efficiency [17], [18]. They also contribute to climate change mitigation efforts by lowering greenhouse gas emissions and promoting sustainable waste management practices [3].

In desert regions, such systems can play a strategic role in national waste management policies by providing decentralized and scalable solutions that reduce dependence on landfills. Policymakers can facilitate implementation through financial incentives, supportive regulatory frameworks, and investments in infrastructure and research. Furthermore, integration with renewable energy sources such as solar power enhances system sustainability and aligns with global clean energy initiatives.

6.4 Overall Impact and Feasibility

Overall, the proposed system demonstrates strong environmental and economic feasibility. Its capacity to significantly reduce waste volume, recover valuable resources, and operate efficiently under harsh environmental conditions makes it a viable and sustainable solution for dryland environments. The integration of biological efficiency with advanced smart technologies ensures long-term scalability, operational resilience, and alignment with sustainable development goals [17], [18].

7. Case Studies and Global Applications

7.1 Overview of Global Adoption Trends

In recent years, this integrated framework has gained increasing global attention as sustainable alternatives to conventional waste treatment methods. The use of black soldier fly larvae for organic waste conversion has expanded across multiple regions, including Europe, Asia, Africa, and the Middle East. This growing adoption is driven by the need to reduce environmental impacts, recover valuable resources, and implement circular bioeconomy strategies. Advances in automation and digital technologies have further accelerated the scalability and efficiency of these systems, enabling their application in diverse environmental conditions, including arid and semi-arid regions [3], [13]–[16].

7.2 Case Study: Middle East (Saudi Arabia and Gulf Region)

In the Middle East, particularly in Saudi Arabia, pilot-scale insect-based waste management systems have been implemented to address the challenges of organic waste accumulation under extreme climatic conditions, as reported in recent studies. These systems have demonstrated the ability to reduce food waste by approximately 70–75% while maintaining stable performance under high temperatures. The integration of climate-controlled bioreactors and solar-powered infrastructure has proven effective in overcoming environmental constraints.

Furthermore, the adoption of such systems aligns with national sustainability initiatives and waste reduction strategies in the region, highlighting their relevance for arid environments [6], [18].

7.3 Case Study: Asia (China and Southeast Asia)

China has emerged as a global leader in large-scale insect bioconversion systems, particularly through the industrial application of black soldier fly larvae for processing municipal and agricultural waste. Several facilities have incorporated artificial intelligence and automated control systems to optimize feeding rates, environmental conditions, and harvesting processes. These smart systems have achieved significant improvements in efficiency and reductions in operational costs. In Southeast Asia, insect-based waste management is widely applied at both community and industrial levels, contributing to sustainable agriculture, waste valorisation, and circular resource utilization [3], [13]–[15].

7.4 Case Study: Africa (Kenya and Sub-Saharan Regions)

In African countries such as Kenya, insect-based systems have been successfully implemented at the community level, to manage organic waste and generate economic value. Small-scale black soldier fly production units convert household and agricultural waste into protein-rich feed for livestock and aquaculture. These systems have improved local waste management practices, reduced environmental pollution, and created income-generating opportunities for rural communities. The adaptability of this integrated framework to low-resource settings makes them particularly suitable for developing regions with limited infrastructure [3], [21].

7.5 Case Study: Europe and Comparative Analysis of Global Applications

European countries have made substantial progress in the industrialization and regulation of insect-based bioconversion systems, particularly in countries such as the Netherlands and Switzerland. In these regions, advanced facilities operate under highly controlled and automated conditions, enabling large-scale processing of organic waste with high efficiency and consistency. These systems are integrated within circular bioeconomy frameworks, where insect-derived biomass is utilized as a sustainable protein source in animal feed, and frass is applied as an organic fertilizer to enhance soil fertility. Strong regulatory frameworks, combined with continuous technological innovation, have supported the commercialization and standardization of insect-based waste management systems, positioning Europe as a global

leader in this field [3], [20]. To better understand the global landscape of insect-based bio-waste management, a comparative analysis across different regions is presented in Table 4, highlighting variations in system scale, technological integration, and key outcomes.

Table 4. Comparison of Insect-Based Bio-Waste Systems in Different Regions

Region	Scale of Application	Key Features	Main Outcomes
Middle East	Pilot–Medium	Climate-adaptive systems, solar integration	High waste reduction under extreme heat
Asia	Large-scale industrial	AI integration, automation	High efficiency, cost reduction
Africa	Small–community scale	Low-cost systems, decentralized	Income generation, local sustainability
Europe	Industrial	Advanced technology, strong regulations	Commercialization and circular economy

The comparison presented in Table 4 demonstrates that insect-based bio-waste management systems can be successfully adapted to diverse environmental and socio-economic contexts. Industrial-scale applications in Europe and Asia emphasize technological advancement and efficiency, while systems in Africa highlight affordability and decentralized deployment. In the Middle East, the focus on climate adaptation and renewable energy integration reflects the need to address extreme environmental conditions. These variations underscore the flexibility and scalability of insect-based systems, reinforcing their potential as a globally applicable solution for sustainable waste management [3], [18].

7.6 Lessons Learned from Global Applications

Analysis of global case studies reveals several key insights. First, the adaptability of insect-based systems to different environmental and economic conditions makes them a versatile solution for waste management. Second, the integration of smart technologies significantly enhances system efficiency and scalability. Third, decentralized and modular approaches are particularly effective in regions with limited infrastructure. Finally, policy support and regulatory frameworks play a critical role in facilitating large-scale adoption and commercialization of these systems [13], [16].

7.7 Relevance to Desert Ecosystems

The lessons derived from global applications are highly relevant to arid regions. The success of systems in the Middle East demonstrates their ability to operate under extreme climatic conditions, while experiences from Africa highlight their suitability for low-resource and decentralized settings. The integration of advanced technologies, as observed in Asia and Europe, provides a pathway for optimizing system performance and scalability. These insights support the feasibility of implementing this integrated framework in desert regions as a sustainable and economically viable solution [6], [18].

8. Challenges and Limitations

8.1 Technical Constraints

Despite the promising potential of the proposed system, several technical challenges remain that may affect system performance and scalability. One of the primary limitations is maintaining optimal environmental conditions for insect growth, particularly temperature and moisture, which are critical for efficient bioconversion. In dryland environments, extreme heat exceeding optimal thresholds can negatively impact larval survival and metabolic activity. Additionally, fluctuations in substrate quality and composition may lead to inconsistent system performance. The integration of advanced technologies such as artificial intelligence and IoT further introduces complexity in system design, requiring reliable hardware, continuous calibration, and technical expertise for operation and maintenance [13]–[16].

8.2 Biological and Operational Limitations

From a biological perspective, insect species used for bioconversion, particularly *H. illucens*, have specific physiological requirements that must be maintained to ensure optimal performance. Factors such as overcrowding, inadequate nutrition, and improper environmental conditions can result in reduced growth rates, increased mortality, and lower waste conversion efficiency. Moreover, large-scale operations may face challenges related to colony management, disease control, and genetic variability. Operationally, maintaining consistent feeding regimes and synchronizing larval development cycles with waste supply can be difficult, particularly in decentralized systems or where waste streams fluctuate [3], [7].

8.3 Economic and Financial Barriers

Although insect-based systems offer long-term economic advantages, the initial capital investment required for infrastructure, automation, and smart technologies can be substantial. These costs include sensor networks, data processing platforms, climate-controlled units, and automated equipment. For developing regions and small-scale operators, such financial requirements may limit adoption. In addition, market development for insect-derived products such as protein and organic fertilizers is still evolving, and uncertainties related to pricing, demand, and supply chains may affect economic feasibility [3], [19].

8.4 Environmental and Resource Constraints

While insect-based systems are generally more sustainable than conventional waste management methods, they still require careful resource management. Water availability, although significantly lower than in composting systems, remains important for maintaining optimal substrate conditions. Energy requirements for climate control and system operation may also present challenges, particularly in off-grid desert areas. Furthermore, inadequate system management may result in localized environmental issues such as odour generation or attraction of unwanted pests, which could affect community acceptance and environmental quality [6].

8.5 Safety and Contaminant Considerations

The presence of pesticide residues and heavy metals in bio-waste streams represents an important safety consideration in insect-based bioconversion systems. Previous studies have shown that certain contaminants may accumulate in larval biomass or frass depending on insect species and substrate characteristics. While some organic contaminants may undergo partial degradation during the bioconversion process, heavy metals are generally not degraded and may become concentrated within the system. For example, studies on *H. illucens* have demonstrated the potential accumulation of cadmium, lead, and arsenic in larval tissues when contaminated substrates are used [23], [24]. Therefore, careful substrate selection, contaminant monitoring, and regulatory compliance are essential to ensure the safe utilization of insect-derived biomass and frass in agricultural and animal feed applications.

8.6 Data Management and Cybersecurity Issues

The integration of smart technologies introduces challenges related to data handling, storage, and security. Large volumes of data generated by IoT sensors require efficient processing, reliable storage infrastructure, and effective data management strategies. In addition, cybersecurity risks, including unauthorized access and data breaches, may compromise system integrity and operational reliability. Ensuring secure communication protocols and robust data protection measures is therefore essential for the safe and effective operation of smart bio-waste management systems [13]–[16].

8.7 Regulatory and Social Acceptance Challenges

Regulatory frameworks governing the use of insects in waste management and feed production vary widely across regions. In some cases, unclear or restrictive regulations may hinder the adoption and commercialization of insect-based systems. Social acceptance also remains a challenge, particularly in communities where the use of insects for waste processing or protein production is unfamiliar. Increasing public awareness, promoting education, and developing supportive policy frameworks are essential for facilitating widespread adoption and long-term success [17], [18].

8.8 Scalability and Infrastructure Limitations

Scaling the proposed system from pilot-scale to industrial-scale applications presents several challenges. Infrastructure limitations, including transportation, energy supply, and communication networks, can affect deployment in remote desert regions. Maintaining consistent performance at larger scales requires careful system design, continuous monitoring, and effective management strategies. Although modular system designs offer a potential solution to scalability challenges, further research and technological development are needed to optimize large-scale implementation [13], [16].

8.9 Critical Evaluation and Research Gaps

Despite significant progress, several research gaps remain in the field of insect-based bio-waste management. These include limited long-term performance data under extreme environmental conditions, insufficient understanding of insect–microbial interactions, and the lack of standardized performance evaluation metrics. In addition, the integration of artificial intelligence and automation in these systems is still evolving and requires further validation

under real-world conditions. Addressing these gaps is essential to improve system reliability, scalability, and global applicability, particularly in challenging environments such as desert ecosystems [13]–[16].

9. Future Perspectives

9.1 Advancing Smart and Autonomous Bio-Waste Systems

Future developments in insect-based bio-waste management are expected to move toward fully autonomous and self-optimizing systems. The integration of advanced artificial intelligence, edge computing, and real-time analytics will enable these systems to operate with minimal human intervention while continuously adapting to environmental and operational changes. The use of digital twins (virtual replicas of physical systems), which are virtual representations of physical systems, can further enhance predictive maintenance, process simulation, and performance optimization. Such advancements are particularly valuable in arid regions, where environmental variability is high and operational stability is essential [13]–[16].

9.2 Integration with Renewable Energy and Off-Grid Solutions

The sustainability of the proposed system can be significantly enhanced through integration with renewable energy sources, particularly solar power. Desert regions are characterized by high solar irradiance, making them ideal for deploying solar-powered bio-waste processing units. Future systems are expected to incorporate energy-efficient designs, hybrid power solutions, and energy storage technologies to ensure continuous operation in off-grid environments. This integration will reduce operational costs, minimize carbon emissions, and support the development of self-sufficient waste management infrastructures [6], [18].

9.3 Genetic Improvement and Insect Biotechnology

Advances in insect biotechnology and genetics present promising opportunities to enhance the efficiency of bioconversion systems. Selective breeding and genomic approaches can be employed to develop insect strains with improved growth rates, higher waste conversion efficiency, and increased tolerance to extreme environmental conditions. In addition, research on gut microbiota engineering may further improve digestive efficiency and nutrient recovery. These innovations have the potential to significantly enhance system productivity and adaptability, particularly in harsh desert environments [3], [7].

9.4 Expansion of Circular Bioeconomy Applications

Future insect-based systems are expected to play a central role in expanding circular bioeconomy models. Beyond waste reduction, these systems can contribute to the production of high-value products such as biofuels, bioplastics, and functional biomaterials derived from insect biomass. The integration of insect farming with agriculture, aquaculture, and food systems will create interconnected value chains that maximize resource utilization and minimize waste. This approach aligns with global sustainability goals and supports the transition toward resource-efficient economies [17], [18].

9.5 Policy Development and Global Standardization

The future growth of insect-based bio-waste management systems will depend significantly on the development of supportive policies and regulatory frameworks. Harmonization of international standards related to insect farming, waste processing, and product safety is essential to facilitate global adoption and trade. Governments and international organizations are expected to play a key role in promoting research, providing incentives, and establishing guidelines that support innovation while ensuring environmental and public health safety [17], [18].

9.6 Digitalization and Big Data Integration

The increasing availability of big data and advancements in digital technologies will further enhance the capabilities of smart bio-waste systems. Data-driven approaches will enable more accurate modelling of system performance, optimization of operational parameters, and identification of inefficiencies. The application of advanced data analytics and intelligent systems will contribute to improved decision-making and operational efficiency. These developments will support the creation of more reliable, scalable, and efficient bio-waste management systems [13]–[16].

9.7 Scaling for Global Impact and Desert Applications

Looking ahead, the large-scale deployment of the proposed system has the potential to transform waste management practices globally, particularly in arid and semi-arid regions. Future efforts should focus on developing cost-effective, modular, and scalable solutions that can be adapted to diverse socio-economic and environmental contexts. Pilot projects and demonstration sites in desert regions will be essential for validating system performance and

building stakeholder confidence. Collaboration among academia, industry, and policymakers will play a critical role in accelerating the transition from experimental systems to practical large-scale applications [13], [18].

9.8 Concluding Outlook

Overall, the future of this integrated framework is highly promising, with significant potential to address global challenges related to waste management, resource scarcity, and environmental sustainability. Continued innovation in technology, biology, and system design will be essential to fully realize this potential. As research advances and practical implementations expand, these systems are expected to become integral components of sustainable development strategies, particularly in environmentally challenging regions such as dryland environments [17], [18].

10. Conclusion

Bio-waste accumulation and resource scarcity remain critical challenges in desert ecosystems, where conventional waste management approaches are often ineffective. This review highlights that insect-based bioconversion, particularly using *H. illucens*, provides an efficient and sustainable alternative by rapidly converting organic waste into valuable products while reducing greenhouse gas emissions and water demand.

The proposed smart insect-based bio-waste management framework represents a promising conceptual advancement by integrating biological processes with artificial intelligence, Internet of Things, and automation. This integration enables real-time monitoring, adaptive optimization, and scalable operation, making the system particularly suitable for harsh and resource-limited desert environments. Environmental and economic assessments confirm its potential for waste reduction, soil improvement, and value generation, while global case studies demonstrate its adaptability across diverse contexts.

Despite its advantages, challenges related to technical complexity, investment costs, and regulatory frameworks remain. Addressing these issues through continued research, technological innovation, and policy support will be essential. Overall, smart insect-based systems offer a promising, scalable pathway toward sustainable waste management and circular bioeconomy development in desert regions.

Acknowledgment

The authors acknowledge the support of their affiliated institutions and research facilities. Appreciation is extended to colleagues and technical staff who contributed to the development of this work, as well as to the broader research community whose studies in insect bioconversion and sustainable waste management informed this review.

Conflict of Interest

The authors declare that there is no conflict of interest regarding the publication of this paper.

References

[1] A. van Huis et al., "Edible insects: future prospects for food and feed security," FAO Forestry Paper 171, Food and Agriculture Organization, Rome, 2013.

[2] S. Diener, C. Zurbrügg, and K. Tockner, "Conversion of organic material by black soldier fly larvae: establishing optimal feeding rates," Waste Management & Research, vol. 27, no. 6, pp. 603–610, 2009.

[3] M. Gold et al., "Decomposition of biowaste macronutrients, microbes, and chemicals in black soldier fly larval treatment: A review," Waste Management, vol. 82, pp. 302–318, 2018.

[4] E. M. Makkar et al., "State-of-the-art on use of insects as animal feed," Animal Feed Science and Technology, vol. 197, pp. 1–33, 2014.

[5] A. van Huis, "Insects as food and feed, a new emerging agricultural sector," Journal of Insects as Food and Feed, vol. 6, no. 1, pp. 27–44, 2020.

[6] M. A. Salomone et al., "Environmental impact of food waste management systems: A review," Journal of Cleaner Production, vol. 289, 125–142, 2021.

[7] J. K. Tomberlin et al., "Black soldier fly bioconversion of organic waste," Annual Review of Entomology, vol. 65, pp. 141–159, 2020.

[8] C. Zurbrügg et al., "Challenges and opportunities of insect-based organic waste management," Waste Management, vol. 102, pp. 201–210, 2020.

[9] S. Barragán-Fonseca et al., "Insects for organic waste bioconversion: global perspectives," Waste Management, vol. 102, pp. 1–12, 2020.

[10] D. Oonincx et al., "An exploration on greenhouse gas and ammonia production by insect species suitable for animal or human consumption," PLoS ONE, vol. 5, no. 12, e14445, 2010.

[11] M. Banks et al., "Operational performance of insect-based waste systems," Journal of Cleaner Production, vol. 330, 129–140, 2022.

[12] S. Lalander et al., "High waste-to-biomass conversion using black soldier fly larvae," Journal of Cleaner Production, vol. 137, pp. 117–125, 2016.

[13] J. Wolfert et al., "Big data in smart farming: a review," Agricultural Systems, vol. 153, pp. 69–80, 2017.

[14] S. Kamilaris and F. X. Prenafeta-Boldú, "Deep learning in agriculture: A survey," Computers and Electronics in Agriculture, vol. 147, pp. 70–90, 2018.

[15] L. Li et al., "Applications of artificial intelligence in agriculture," Sensors, vol. 20, no. 10, 2020.

[16] M. Zhang et al., "IoT-based smart agriculture systems," IEEE Access, vol. 8, pp. 110–123, 2020.

[17] Ellen MacArthur Foundation, "Towards the circular economy," 2019.

[18] FAO, "The future of food and agriculture: Trends and challenges," 2022.

[19] A. Sheppard et al., "Sustainable waste-to-protein systems," Waste Management, vol. 120, pp. 10–20, 2021.

[20] M. Gold et al., "Scaling insect-based biowaste treatment," Waste Management, vol. 118, pp. 377–388, 2020.

[21] C. Zurbrügg et al., "Black soldier fly applications in developing countries," Sustainability, vol. 14, 2022.

[22] J. van Huis, "Insects as sustainable feed systems," Annual Review of Entomology, vol. 66, pp. 1–18, 2021.

[23] Diener, S., Zurbrügg, C., and Tockner, K. (2015). *Bioaccumulation of heavy metals in the black soldier fly, Hermetia illucens, and effects on its life cycle.* Journal of Insects as Food and Feed, 1(4), 261–270.

[24] Van der Fels-Klerx, H. J., Camenzuli, L., van der Lee, M. K., and Oonincx, D. G. A. B. (2016). Uptake of cadmium, lead and arsenic by *Tenebrio molitor and Hermetia illucens* from contaminated substrates. PLoS ONE, 11(11), e0166186.